

DATASHEET

QUICK'UP+ L



GENERAL

Art.Nr: H-574-805-LEFT

GTIN: 8053841302958

Customs tariff number: 76169990

Net weight: 0.22 kg

Gross weight: 0.22 kg

DATASHEET

QUICK'UP+ L

Left-hand light alloy ascender handle with ergonomic rubber grip. Ideal for rope ascent, hoist construction and lifting material.

Main features:

- overmolded, ergonomic handle ascender, designed for greater efficiency when pulling and increased resistance to wear and tear;
- cam opening lever usable with one hand; patented system for unlocking the cam, with just one downwards movement necessary; steel cam, manufactured with technology that implements the resistance to wear and tear. Equipped with a set of teeth that protects the wear of the rope, but it is equally effective in blocking and ascending the rope. It also has three slots to prevent the accumulation of mud and reduce the effort needed to slide the device up the rope under any condition (muddy rope, frozen etc.);
- two attachment holes for various possible uses, anti-inversion cam system, secondary hole for connecting a quick link for an etrier.

FEATURES

Colour: Black, Grey

Maximum lifetime: 12 years

Minimum temperature: -29 °C

Maximum temperature: 40 °C

UIAA compliance: Yes

Working Load Limit: 140 kg

Patent status: Patented

Individually tested: Yes

100% quality control: Yes

Hot forged: No

Hard coated: No

Ascender type: hand_ascenders

DIMENSIONS

Minimum rope diameter / EN 12841: 10 mm

Maximum rope diameter / EN 12841: 13 mm

Minimum rope diameter / EN 567: 8 mm

Maximum rope diameter / EN 567: 13 mm

Maximum rope diameter / EN 12278: 0 mm

Product length: 18.90 cm

Product width: 9.30 cm

MATERIAL

Material: Aluminium

DATASHEET
QUICK'UP+ L

